

ST. JOSEPH TWP FIRE STATION #1

MUTUAL AID BOX ALARM SYSTEM

Box #1

TYPE OF ALARM: **FIRE** OCCUPANCY: **Residential** LOCATION: **1 & 2 Family Residential Structures**
 COMMUNICATION: **Fire Ground 2**

Type	STILL ALARM	BOX ALARM	2ND ALARM	3RD ALARM	4TH ALARM	5TH ALARM	SPECIAL EQUIP.
Engine	SJT #1 (1821)	SJT #2 (1823) SJT #2 (1824)	Lincoln (4220) Lincoln (4221)	Royalton (1720)	Benton Twp (326)	SJ City (103)	
Aerial	SJT #1 (1852)			Royalton (1750)	Benton Twp (349)		SJ City (106)
Rescue	SJT #1 (1875)		Lincoln (4270) RIT				
Brush							
Box Chief	SJT #1 Box Chief	SJT #2 Box Chief	Lincoln Box Chief		Royalton Box Chief		

CHANGE OF QUARTERS / STANDBY TO COVER DISPATCHED AREAS

Type	STILL ALARM	BOX ALARM	2ND ALARM	3RD ALARM	4TH ALARM	5TH ALARM	SPECIAL EQUIP.
Standby			Royalton	Baroda Sodus			
Change of QTRs							

MEDIC UNIT IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

ST. JOSEPH TWP FIRE STATION #1

MUTUAL AID BOX ALARM SYSTEM

Box #2

TYPE OF ALARM: FIRE	OCCUPANCY: Commercial	LOCATION: Multi-Family Residence or Commercial Bui
COMMUNICATION: Fire Ground 2		

Type	STILL ALARM	BOX ALARM	2ND ALARM	3RD ALARM	4TH ALARM	5TH ALARM	SPECIAL EQUIP.
Engine	SJT #1 (1821)	SJT #2 (1823) SJT #2 (1824)	Lincoln (4220) Lincoln (4221)	Royalton (1720)	Benton Twp (326) Sodus (1920)	Benton Twp (327)	
Aerial	SJT #1 (1852)		SJ City (106)	Royalton (1750) Benton Twp (349)			
Rescue	SJT #1 (1875)		Lincoln (4270) RIT				
Brush							
Box Chief	SJT #1 Box Chief	SJT #2 Box Chief	Lincoln Box Chief		Royalton Box Chief		

CHANGE OF QUARTERS / STANDBY TO COVER DISPATCHED AREAS

Type	STILL ALARM	BOX ALARM	2ND ALARM	3RD ALARM	4TH ALARM	5TH ALARM	SPECIAL EQUIP.
Standby			Royalton	Baroda Sodus			
Change of QTRs							

MEDIC UNIT IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

ST. JOSEPH TWP FIRE STATION #1

MUTUAL AID BOX ALARM SYSTEM

Box #3

TYPE OF ALARM: **Vehicle Rescue**

OCCUPANCY: **Vehicle Rescue**

LOCATION:

COMMUNICATION: **Fire Ground 2**

Type	STILL ALARM	BOX ALARM	2ND ALARM	3RD ALARM	4TH ALARM	5TH ALARM	SPECIAL EQUIP.
Engine	SJT #1 (1821)	Lincoln (4220)	Lincoln (4221)	Royalton (1720)			SJT #2 (1822) SJT #2 (1823)
Aerial							
Rescue	SJT #1 (1875)	Lincoln (4270)	Royalton (1771)	Sodus (1975)			
Brush							
Box Chief	SJT #1 Box Chief		Lincoln Box Chief				

CHANGE OF QUARTERS / STANDBY TO COVER DISPATCHED AREAS

Type	STILL ALARM	BOX ALARM	2ND ALARM	3RD ALARM	4TH ALARM	5TH ALARM	SPECIAL EQUIP.
Standby		SJT #2					
Change of QTRs							

MEDIC UNIT IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

ST. JOSEPH TWP FIRE STATION #1

MUTUAL AID BOX ALARM SYSTEM

Box #4

TYPE OF ALARM: FIRE	OCCUPANCY: High Life Risk	LOCATION: Nursing Homes, Churches, Schools, etc..
COMMUNICATION: Fire Ground 2		

Type	STILL ALARM	BOX ALARM	2ND ALARM	3RD ALARM	4TH ALARM	5TH ALARM	SPECIAL EQUIP.
Engine	SJT #1 (1821)	SJT #2 (1823) SJT #2 (1824)	Lincoln (4220) Lincoln (4221) Royalton (1720)	Benton Twp (327) Sodus (1920)			
Aerial	SJT #1 (1852)		Royalton (1750) SJ City (106)	Benton Twp (322)			
Rescue	SJT #1 (1875)		Lincoln (4270) RIT Royalton (1771)				
Brush							
Box Chief	SJT #1 Box Chief	SJT #2 Box Chief	Lincoln Box Chief Royalton Box Chief				

CHANGE OF QUARTERS / STANDBY TO COVER DISPATCHED AREAS

Type	STILL ALARM	BOX ALARM	2ND ALARM	3RD ALARM	4TH ALARM	5TH ALARM	SPECIAL EQUIP.
Standby		Lincoln	Baroda Sodus				
Change of QTRs							

MEDIC UNIT IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL

ST. JOSEPH TWP FIRE STATION #1

MUTUAL AID BOX ALARM SYSTEM

Box #5

TYPE OF ALARM: FIRE	OCCUPANCY: Brush Fire	LOCATION:
COMMUNICATION: Fire Ground 2		

Type	STILL ALARM	BOX ALARM	2ND ALARM	3RD ALARM	4TH ALARM	5TH ALARM	SPECIAL EQUIP.
Engine	SJT #1 (1821)	SJT #2 (1823)	SJT #2 (1824)	Lincoln (4220)	Royalton (1720)		Lincoln Tanker (4230) Royalton Tanker (1730)
Aerial					Royalton (1750)		
Rescue							
Brush	SJT #1 (1865)		Lincoln (4260)	Royalton (1760)			
Box Chief							

CHANGE OF QUARTERS / STANDBY TO COVER DISPATCHED AREAS

Type	STILL ALARM	BOX ALARM	2ND ALARM	3RD ALARM	4TH ALARM	5TH ALARM	SPECIAL EQUIP.
Standby					Sodus Baroda		
Change of QTRs							

MEDIC UNIT IS TO BE DISPATCHED ON ALL WORKING FIRES REGARDLESS OF ALARM LEVEL